## **Product Specification Data Sheet**



Code: **P10111500R** 

Product: AS-220801-101 Description: SMOOTHWALL RECT. TRAY

Customer Ref:

Please note that the image shown is a generic image for this profile and may not reflect coatings and features of the exact variant selected.

| Features  | Body Style:   |  | Body Shape:                            |  |  |
|---|---|--|--|--|--|
|   | Flange Style:   | Rim Style:<br>Lidding Suitability:   |  |  |  |
|   | Base Feature:   |  |  |  |  |
|   | Material:   | Plain Aluminimum   | Temper: H22                            |  |  |
|   | Outside Lacquer:  | None   |  |  |  |
|   | Inside Lacquer(s):  | None   |  |  |  |
|   | Temperature Range:  | -40°C to 300°C   |  |  |  |
|   | <b>General Usage:</b> The storage of strongly acidic or strongly salted foodstuffs with the pH leven in contact with uncoated aluminium should be avoided A packaging test out by the food manufacturer in order to determine the exact shelf life and the storage of strongly acidic or strongly salted foodstuffs with the pH leven in contact with uncoated aluminium should be avoided A packaging test out by the food manufacturer in order to determine the exact shelf life and the storage of strongly acidic or strongly salted foodstuffs with the pH leven in contact with uncoated aluminium should be avoided A packaging test out by the food manufacturer in order to determine the exact shelf life and the storage of strongly acidic or strongly acidic or strongly salted foodstuffs with the pH leven in contact with uncoated aluminium should be avoided A packaging test out by the food manufacturer in order to determine the exact shelf life and the storage of strongly acidic or strongly acidic or strongly salted foodstuffs with the pH leven in contact with uncoated aluminium should be avoided A packaging test out by the food manufacturer in order to determine the exact shelf life and the storage of strongly acidic or strongly acidic or strongly salted foodstuffs. |  |  |  |  |
|   | Microwave Usage:  | : Aluminium trays are safe to use in microwave ovens constructed after 1983 following the instructions that can be found at: www.alufoil.org/about-alufoil/reference-library/aluminium-foil-and-microwave-ovens.html |  |  |  |
| Dimensions  | Top Out (mm) ±0.5:  | x  | Depth (mm) ±0.5:                       |  |  |
|   | Top In (mm) ±0.5:   | х  | Capacity (cm3):                        |  |  |
|   | Base (mm) ±0.5:   | x  | Gauge (mm) ±8%: 0.1000                 |  |  |
| Net Container Weight (gms) ±8%:   |   | 0.00   |  |  |  |
| Approx Recycled Content (gms) ±8%:  |   | 0.00   | Approx Recycled Content (Non PCW): 25% |  |  |
| Pack Features   | Pack Quantity:  | 680  |  |  |  |
|   | Poly Sleeving:  | Yes - Blue Tint  |  |  |  |
|   | Poly Liner:   | No   |  |  |  |
| Carton Size (mm - L x W x H):<br>Pack Volume (M3):<br>Net Pack Weight (Kg): |   | 496 X 401 X 316  |  |  |  |
|   |   | 0.060  |  |  |  |
|   |   | 0.0  |  |  |  |
|   | Gross Pack Weight (Kg):   | 0.6  |  |  |  |

Pallet Type: UK-1200-1000-140-STD

Pallet Edge Protection: No

Cartons Per Layer: 6

Layers Per Pallet: 5

Cartons Per Pallet: 30

Containers Per Pallet: 20,400

Pallet Size (mm - L x W x H): 1200 x 1000 x 1720

Pallet Volume (M3): 2.064

Gross Pallet Weight (Kg): 33

Product manufactured in the United Kingdom

All products conform to Regulation (EC) No. 1935/2004 of the European Parliament and of the Council on materials and articles intended to come into contact with food

| Issued:                 | 05/10/2021            | Version No: 1           | Customer Approval Name:   | Date:                            | RDCC                |
|-------------------------|-----------------------|-------------------------|---|----------------------------------|---------------------|
| Authorised:             | $\mathcal{O}$         |                         |   |                                  |                     |
|                         | \$X                   |                         |   |                                  | Packaging Materials |
| Peter Reay              |                       |                         | Signature:  |                                  | CERTIFICATED        |
| Chief Executive Officer |                       |                         |   |                                  |                     |
| This s                  | pecification is the p | property of i2r Packagi | ng Solutions Limited and should not be copied, published or disclosed to anyone v | without the written consent of f | the Company         |

sales@i2rps.com

T: +44 (0)8453 715111 F: +44 (0)8453 715101