## **BRITISH SALT**

## A TATA Enterprise

## **Product Test Specification**

| Specification No: | BSL01          | Version:     | 02        |
|-------------------|----------------|--------------|-----------|
| Legacy Ref:       | 01,04,05,07,09 | Review       | 3 years   |
| Date Created:     | 27JAN2022      | Review Date: | 27JAN2025 |

## **Pure Dried Vacuum Salt**

Conforms to BS998:1990 "Vacuum Salt for Food Use"
Conform to regulation EC1129/2011
Complies with EU Food safety legislation and is suitable for food use.\*

| Chemical Analysis         | BS998:1990<br>Standard           | British Salt Typical | Unit  |
|---------------------------|----------------------------------|----------------------|---|
| Assay (dry basis)         | 99.6 % Min                       | 99.9 %               | as NaCl   |
| Moisture                  | 0.2 % Max                        | 0.03 %               | As H₂O  |
| Matter insoluble in water | 300 mg/kg Max                    | 30 mg/kg             | ÷.  |
| Sodium Sulphate           | 3000 mg/kg Max                   | 350 mg/kg            | as Na <sub>2</sub> SO <sub>4</sub>  |
| Calcium                   | 100 mg/kg Max                    | 17.5 mg/kg           | as Ca   |
| Magnesium                 | 100 mg/kg Max                    | <0.04 mg/kg          | as Mg   |
| Cadmium                   | 0.2 mg/kg Max                    | <0.005 mg/kg         | as Cd   |
| Arsenic                   | 0.5 mg/kg Max                    | <0.02 mg/kg          | as As   |
| Copper                    | 2 mg/kg Max                      | <0.04 mg/kg          | as Cu   |
| Lead                      | 1 mg/kg Max                      | <0.01 mg/kg          | as Pb   |
| Mercury                   | 0.05 mg/kg Max                   | <0.01 mg/kg          | as Hg   |
| Alkalinity                | 300 mg/kg Max                    | n/a mg/kg            | Na <sub>2</sub> CO <sub>3</sub>   |
| Iron                      | 10 mg/kg Max                     | 2 mg/kg              | as Fe   |
| *Anti-caking agent (E535) | 11.5 mg/kg Max<br>16.5 mg/kg Max | 8 mg/kg<br>10 mg/kg  | as [Fe(CN) <sub>6</sub> ] <sup>4-</sup><br>as Na <sub>4</sub> Fe(CN) <sub>6</sub> |

<sup>\*</sup>Anticaking agent specification based on EU standard due to lower limits

| Physical Analysis by grade |              | British Salt Specification (Not stipulated in BS998:1990) |                   |          |  |
|----------------------------|--------------|---|-------------------|----------|--|
| All Grades                 | Appearance   | White crystalline   | White crystalline | Complies |  |
|                            | +1400µm      | 0   | % Max             | Retained |  |
| Standard PDV               | +850µm       | 8   | % Max             | Retained |  |
|                            | +425µm       | 56  | % Max             | Retained |  |
|                            | +300µm       | 91  | % Max             | Retained |  |
| The special section is     | Bulk Density | 1.22 to 1.32  | g cm-3            | -        |  |
| Fine 50                    | +300µm       | 5.0   | % Max             | Retained |  |
|                            | Bulk Density | 1.16 to 1.27  | g cm-3            | -        |  |
| Fine 60                    | +250µm       | 5.0   | % Max             | Retained |  |
|                            | Bulk Density | 1.16 to 1.23  | g cm-3            | -        |  |
| Tanker Fine                | +710µm       | 4.5   | % Max             | Retained |  |
|                            | +180µm       | 95  | % Min             | Retained |  |
| Tanker Coarse              | +500µm       | 85  | % Min             | Retained |  |